

# Deworm The Herd *with*

# Nemarid<sup>®</sup>

*with COBALT*



## Nemarid stronger than worms

## Advantages of Deworming

- 1 It eliminates all types worms thus leads to an increase in milk production .
- 2 Improve weight gain for growing stock or beef cattle goats and and ensure the general health of the herd.
- 3 Maintain healthy animals that can produce young ones (calves, lambs and kids) for a growing herd and/or replacement stock.

## What are Worms ?

Worms are a common internal parasite in many livestock and failure to control them leads to losses.

## The 3 Primary Types of Worms

**Liverfluke**



**Tapeworm**



**Roundworms**



NEMARID is a broad-spectrum double strength anthelmintic for cattle, sheep and goats. It is safe to use with young, pregnant and/or lactating animals and can be used concurrently with other treatments or vaccinations. It contains cobalt which improves appetite, digestion, growth and performance in growing animals.

### Dosage of Nemarid Super

Cattle		Sheep/Goat	
Live Weight	Dosage	Live Weight	Dosage
Upto 50kg	12.5ml	Upto 15 kg	4ml
100kg	25ml	15-25kg	6.5ml
150kg	37.5ml	25-35kg	9ml
200kg	50ml	35-45kg	11.5ml
250kg	62.5ml	over 45kg	Add 0.5ml for every 4kg
over 250kg	Add 2.5ml for every 10kg		

### Dosage of Nemarid with cobalt

Cattle		Sheep/Goat	
Live Weight	Dosage	Live Weight	Dosage
Upto 50kg	25 ml	Upto 15 kg	4ml
100kg	50 ml	15-25kg	6.5ml
150kg	75 ml	25-35kg	9ml
200kg	100 ml	35-45kg	11.5ml
300 kg	150 ml	over 45kg	Add 5 ml for every 10 kg
over 250kg	Add 5 ml for every 10kg		

# Symptoms of worm infestation

- Discharge from the eyes
- Mucous discharge from the nose
- Sneezing /Coughing
- Rough / Loose hair coat
- Diarrhoea, frequent stomach upsets and indigestion
- Poor body condition
- Low weight gain
- Poor milk production
- Poor conception
- Sudden death especially in sheep
- Worm segments or blood in faeces
- Circling in sheep with nasal bots.



Poor body condition



Sheep with Circling Disease



A cow with Diarrhoea

# Why use Nemarid

- Nemarid is a Broad-spectrum double strength anthelmintic for cattle, sheep and goats.
- Nemarid is safe to use with young, pregnant and/or lactating animals
- Target to deworm your animals every three months but monthly for calves and kids.
- Nemarid is effective against all mature and immature form of worms.
- Nemarid is economically justifiable easy to administer.



# Eradifluke

Triclabendazole 12%, Levamisole Hydrochloride 7.5%



Eradifluke is a broad spectrum anthelmintic for control and treatment of Fascioliasis, parasitic gastro-enteritis, and parasitic bronchitis in cattle sheep and goats

Eradifluke contains Triclabendazole 12% which is a flukicide used for the treatment of susceptible early immature,

immature and mature liver fluke (*Fasciola hepatica*) in cattle, sheep and goats.

Eradifluke also contains Levamisole hydrochloride 7.5% which has broad spectrum activity against parasitic worm infections, specifically ascariasis and hookworm infections.

Levamisole targets the nicotineric ACH receptors thus

paralyzing the susceptible parasite which is expelled from the alimentary canal

Levamisole has immunostimulant effect therefore excellent for sick and debilitated animals.

## Dosage and Administration

### Cattle

- 10mls per 100kg

### Sheep and Goats

- 1mls per 10kg

**It's always important to weigh your animals before drenching them.  
Correct body weight allows for proper dosing of the animals to avoid  
over or under-dosing.**

Atlantis life science

PO BOX 3305-00600, Nairobi, Kenya | SIOUX COMPLEX, OFF MOMBASA ROAD, OPP AIRPORT

TEL +254728 555 111, +2547 888 21 444 | EMAIL: infor@atlantis.co.ke | website www.atlantis.co.ke



Atlantis life science



# MultiCure 2.5%

Albendazole 2.5% (25mg/ml).  
+ Trace elements: selenium, copper, cobalt and zinc.



MultiCure 2.5% suspension is a broad-spectrum anthelmintic, effective in control and removal of a wide range of roundworms, tapeworms and (at a higher dose level against) liver-flukes in cattle, sheep, goats and camels.

MultiCure 2.5% should be administered at the recommended dose rate of 7.5 mg/Kg BWT  
To control Liver flukes, administer at a dose rate of 10mg/ kg BWT

## DOSAGE

Cattle			Sheep and Goats		
Body weight	Round worms, tape worms, Lung worms eggs	Liverflukes	Body weight	Round worms, tape worms, Lung worms eggs	Worms and liverflukes
100kg	30ml	40ml	Upto 10kg	2ml	3ml
200kg	60ml	80ml	20kg	4ml	6ml
300kg	90ml	120ml	30kg	6ml	9ml
400kg	120.0ml	160ml	40kg	8ml	12ml

# MultiCure 10%

Albendazole 10% (100 mg/ml)  
+ Trace elements: selenium, copper, cobalt and zinc.



MultiCure 10% suspension is a broad-spectrum anthelmintic, effective in control and removal of a wide range of roundworms, tapeworms and (at a higher dose level against) liver-flukes in cattle, sheep, goats and camels.

The formula contains trace elements which improves immunity, appetite and hair coat color.

MultiCure 10% Suspension should be given orally using any type of standard dosing gun or dose syringe.

Shake well before use.

## DOSAGE

Cattle			Sheep and Goats		
Body weight	Round worms, tape worms, Lung worms eggs	Liverflukes	Body weight	Round worms, tape worms, Lung worms eggs	Worms and liverflukes
100kg	7.5ml	10ml	Upto 10kg	0.5ml	0.75ml
200kg	15.0ml	20ml	20kg	1ml	1.5ml
300kg	22.5ml	30ml	30kg	1.5ml	2.25ml
400kg	30.0ml	40ml	40kg	2ml	3ml